



Be Right™

SAFETY DATA SHEET

Issue Date 21-Apr-2016

Revision Date 17-Aug-2018

Version 4.1

Page 1 / 18

1. IDENTIFICATION

Product identifier

Product Name COD, TNTPlus™ ULR (1-60 mg/L)

Other means of identification

Product Code(s) TNT820

Safety data sheet number M02451

UN/ID no UN1830

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Determination of Chemical Oxygen Demand.

Uses advised against None.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Aquatic Acute Toxicity	Category 1
Chronic aquatic toxicity	Category 1

Hazards not otherwise classified (HNOC)

Data insufficient for GHS classification but significant enough for mention suggests:

CANCER HAZARD. STRONG INORGANIC ACID MISTS CONTAINING SULFURIC ACID CAN CAUSE CANCER.

Inhalation of low concentrations of sulfuric acid may result in airway irritation such as cough and shortness of breath; high concentrations may result in acute effects such as cough.

Label elements

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 2 / 18

Signal word - Danger



Hazard statements

H290 - May be corrosive to metals
H302 - Harmful if swallowed
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H332 - Harmful if inhaled
H373 - May cause damage to organs through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements

P270 - Do not eat, drink or smoke when using this product
P501 - Dispose of contents/ container to an approved waste disposal plant
P405 - Store locked up
P271 - Use only outdoors or in a well-ventilated area
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P363 - Wash contaminated clothing before reuse
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P273 - Avoid release to the environment
P391 - Collect spillage
P234 - Keep only in original container
P390 - Absorb spillage to prevent material damage

Other Hazards Known

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	80 - 90%	-
Sulfuric acid, mercury(2+) salt (1:1)	7783-35-9	1 - 5%	-
Sulfuric acid, disilver(1+) salt	10294-26-5	<1%	-
Potassium dichromate	7778-50-9	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
Skin contact	Get immediate medical advice/attention. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation.
-----------------	--------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	This material will not burn.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive material. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 5 / 18

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric acid CAS#: 7664-93-9	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³
Sulfuric acid, mercury(2+) salt (1:1) CAS#: 7783-35-9	TWA: 0.025 mg/m ³ S*	(vacated) Ceiling: 0.1 mg/m ³	IDLH: 10 mg/m ³ Hg Ceiling: 0.1 mg/m ³ Hg TWA: 0.05 mg/m ³ except Organo alkyls Hg vapor
Sulfuric acid, disilver(1+) salt CAS#: 10294-26-5	TWA: 0.01 mg/m ³	TWA: 0.01 mg/m ³ (vacated) TWA: 0.01 mg/m ³	IDLH: 10 mg/m ³ Ag TWA: 0.01 mg/m ³ Ag
Potassium dichromate CAS#: 7778-50-9	STEL: 0.0005 mg/m ³ TWA: 0.0002 mg/m ³ S*	TWA: 5 µg/m ³ (vacated) Ceiling: 0.1 mg/m ³ Ceiling: 0.1 mg/m ³	IDLH: 15 mg/m ³ Cr(VI) TWA: 0.0002 mg/m ³ Cr

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Impervious gloves.

Eye/face protection

Face protection shield.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

General Hygiene Considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance

Turbid solution

Color

light orange

Odor

Acidic

Odor threshold

No data available

Property

Values

Remarks • Method

Molecular weight

No data available

pH

< 0.5

Melting point/freezing point

~ -7 °C / 19.4 °F

Estimation based on theoretical calculation

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 6 / 18

Boiling point / boiling range	~ 102 °C / 215.6 °F	Estimation based on theoretical calculation
Evaporation rate	0.15 (water = 1)	Estimation based on theoretical calculation
Vapor pressure	1.35 mm Hg / 0.18 kPa at 25 °C / 77 °F	Estimation based on theoretical calculation
Vapor density (air = 1)	0.03 (air = 1)	
Specific gravity (water = 1 / air = 1)	1.89	
Partition Coefficient (n-octanol/water)	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
None reported	No information available	No data available	No information available

Other Information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate

> 6.25 mm/yr / > 0.25 in/yr

Aluminum Corrosion Rate

> 6.25 mm/yr / > 0.25 in/yr

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Sulfuric acid, mercury(2+) salt (1:1)	7783-35-9	Not applicable	-
Sulfuric acid, disilver(1+) salt	10294-26-5	No data available	-
Potassium dichromate	7778-50-9	Not applicable	-

Explosive properties

Upper explosion limit

No data available

Lower explosion limit

No data available

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 7 / 18

Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limit No data available

Lower flammability limit No data available

Oxidizing properties

No data available.

Bulk density

No data available

Particle Size No information available

Particle Size Distribution No information available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible materials Oxidizing agent. Acids. Bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

Eye contact Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact May cause irritation. Toxic in contact with skin.

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 8 / 18

Ingestion

Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Aggravated Medical Conditions

Eye disorders. Skin disorders. Respiratory disorders. Preexisting eye disorders. Kidney disorders. Teeth.

Toxicologically synergistic products

None known.

Toxicokinetics, metabolism and distribution

See ingredients information below.

Chemical name	Toxicokinetics, metabolism and distribution
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	The corrosivity of sulfuric acid makes it difficult to assess its effects on metabolism. Its corrosivity is also the main contributor to acute deaths, therefore it is not classified for acute toxicity.
Sulfuric acid, mercury(2+) salt (1:1) (1 - 5%) CAS#: 7783-35-9	Central nervous system is the most sensitive target for mercury exposure.

Product Acute Toxicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	331.79 mg/kg
ATEmix (dermal)	331.00 mg/kg
ATEmix (inhalation-dust/mist)	3.32 mg/L
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Ingredient Acute Toxicity Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, mercury(2+) salt (1:1) (1 - 5%) CAS#: 7783-35-9	None reported	None reported	None reported	None reported	No information available
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Rat LD ₅₀	> 5000 mg/kg	None reported	None reported	Vendor SDS
Potassium	Rat LD ₅₀	25 mg/kg	None	None reported	ERMA (New Zealand)

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 9 / 18

dichromate (<0.1%) CAS#: 7778-50-9			reported		Environmental Risk Management Authority)
--	--	--	----------	--	---

Dermal Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium dichromate (<0.1%) CAS#: 7778-50-9	Rat LD ₅₀	1170 mg/kg	None reported	None reported	ERMA (New Zealand's Environmental Risk Management Authority)

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium dichromate (<0.1%) CAS#: 7778-50-9	Rat LC ₅₀	0.094 mg/L	4 hours	None reported	ERMA (New Zealand's Environmental Risk Management Authority)

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Human TDLo	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Aspiration toxicity

No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB (Hazardous Substances Data Bank)
Sulfuric acid, mercury(2+) salt (1:1) (1 - 5%) CAS#: 7783-35-9	Existing human experience	Human	None reported	None reported	Skin irritant	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Sulfuric acid, disilver(1+) salt	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 10 / 18

(CAS#: 10294-26-5						
-----------------------	--	--	--	--	--	--

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB (Hazardous Substances Data Bank)
Sulfuric acid, mercury(2+) salt (1:1) (1 - 5%) CAS#: 7783-35-9	Existing human experience	Human	None reported	None reported	Eye irritant	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Standard Draize Test	Rabbit	180 mg	None reported	Corrosive to eyes	ECHA (The European Chemicals Agency)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route

No data available.

Respiratory Sensitization Exposure Route

No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route

If available, see data below.

Respiratory Sensitization Exposure Route

If available, see data below.

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route

No data available.

Dermal Exposure Route

No data available.

Inhalation (Dust/Mist) Exposure Route

No data available.

Inhalation (Vapor) Exposure Route

No data available.

Inhalation (Gas) Exposure Route

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Human TC _{Lo}	.003 mg/L	168 days	Musculoskeletal Changes in teeth and supporting structures	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Carcinogenicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 11 / 18

Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Sulfuric acid, mercury(2+) salt (1:1)	7783-35-9	-	Group 3	-	-
Sulfuric acid, disilver(1+) salt	10294-26-5	-	-	-	-
Potassium dichromate	7778-50-9	A1	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans Group 3 - Not classifiable as a human carcinogen
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Germ Cell Mutagenicity *invitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *invitro* Data

If available, see data below

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Potassium dichromate (<0.1%) CAS#: 7778-50-9	Micronucleus test	Human lymphocyte	0.3 mg/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium dichromate (<0.1%) CAS#: 7778-50-9	Morphological transformation	Human fibroblast	200 nmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Germ Cell Mutagenicity *invivo* Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Germ Cell Mutagenicity *invivo* Data

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 12 / 18

Inhalation (Vapor) Exposure Route
Inhalation (Gas) Exposure Route

If available, see data below
If available, see data below

Product Reproductive Toxicity Data

Oral Exposure Route
Dermal Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route
Inhalation (Gas) Exposure Route

No data available
No data available
No data available
No data available
No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium dichromate (<0.1%) CAS#: 7778-50-9	Mouse TD _{Lo}	1710 mg/kg	19 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus) Effects on Fertility Post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants) Specific Developmental Abnormalities Craniofacial (including nose and tongue)	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium dichromate (<0.1%) CAS#: 7778-50-9	Mouse TD _{Lo}	3420 mg/kg	None reported	Effects on Fertility Litter size (e.g. # fetuses per litter; measured before birth) Specific Developmental Abnormalities Skin and appendages	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route

If available, see data below
If available, see data below
If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Rabbit TC _{Lo}	.02 mg/L	7 hours	Specific Developmental Abnormalities Musculoskeletal system	No information available

Inhalation (Gas) Exposure Route

If available, see data below

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

Product Ecological Data

Aquatic toxicity

Fish
Crustacea
Algae

No data available
No data available
No data available

Ingredient Ecological Data

Aquatic toxicity

Fish

If available, see ingredient data below

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 13 / 18

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	96 hours	<i>Pimephales promelas</i>	LC ₅₀	0.0012 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Potassium dichromate (<0.1%) CAS#: 7778-50-9	96 hours	<i>Lepomis macrochirus</i>	LC ₅₀	0.131 mg/L	ERMA (New Zealand's Environmental Risk Management Authority)

Crustacea

If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	48 Hours	<i>Daphnia magna</i>	LC ₅₀	0.00022 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Potassium dichromate (<0.1%) CAS#: 7778-50-9	48 Hours	<i>Daphnia magna</i>	EC ₅₀	0.035 mg/L	ERMA (New Zealand's Environmental Risk Management Authority)

Algae

If available, see ingredient data below

Other Information

Persistence and degradability

Product Biodegradability Data

No data available.

Ingredient Biodegradability Data

Chemical name	Test method	Biodegradation	Exposure time	Results
Sulfuric acid, mercury(2+) salt (1:1) (1 - 5%) CAS#: 7783-35-9	Inorganic Salt	None reported	None reported	Not readily biodegradable
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Inorganic Salt	None reported	None reported	Not readily biodegradable

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Bioaccumulation Data

Chemical name	Test method	Exposure time	Species	Bioconcentration factor (BCF)	Results
Sulfuric acid, mercury(2+) salt (1:1) (1 - 5%) CAS#: 7783-35-9	None reported	None reported	None reported	BCF > 1000	Has the potential to bioaccumulate
Sulfuric acid,	None reported	8 days	<i>Oncorhynchus mykiss</i>	BCF = 2.5	Does not

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 14 / 18

disilver(1+) salt (<1%) CAS#: 10294-26-5					have the potential to bioaccumulate
Potassium dichromate (<0.1%) CAS#: 7778-50-9	Estimation through BCFBAF v3.01 part of the Estimation Programs Interface (EPI) Suite™	None reported	None reported	BCF = 26.93	Does not have the potential to bioaccumulate

Mobility

Soil Organic Carbon-Water Partition Coefficient Not applicable

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D002, D009

Special instructions for disposal Dispose of all mercury contaminated material at an E.P.A. hazardous waste facility. Dispose of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

U.S. DOT

UN/ID no UN1830
Proper shipping name Sulphuric Acid
Hazard Class 8
Packing Group II
Marine pollutant This product contains a chemical which is listed as a severe marine pollutant according to DOT.
Emergency Response Guide Number 137

TDG

UN/ID no UN1830
Proper shipping name Sulphuric Acid
Hazard Class 8
Packing Group II
Marine pollutant This product contains a chemical which is listed as a severe marine pollutant according to TDG.

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 15 / 18

IATA

UN/ID no	UN1830
Proper shipping name	Sulphuric Acid
Hazard Class	8
Packing Group	II
ERG Code	137

IMDG

UN/ID no	UN1830
Proper shipping name	Sulphuric Acid
Hazard Class	8
Packing Group	II
Marine pollutant	This material meets the definition of a marine pollutant

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0
Sulfuric acid, mercury(2+) salt (1:1) (CAS #: 7783-35-9)	1.0

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 16 / 18

Sulfuric acid, disilver(1+) salt (CAS #: 10294-26-5)	1.0
Potassium dichromate (CAS #: 7778-50-9)	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	X
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	10 lb	X	-	X
Sulfuric acid, disilver(1+) salt 10294-26-5	-	X	-	-
Potassium dichromate 7778-50-9	10 lb	X	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ
Potassium dichromate 7778-50-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S. - DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S. - DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen
Sulfuric acid, mercury(2+) salt (1:1) (CAS #: 7783-35-9)	Developmental
Potassium dichromate (CAS #: 7778-50-9)	Carcinogen

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 17 / 18

	Developmental Female Reproductive Male Reproductive
--	---



WARNING: This product can expose you to chemicals including Sulfuric acid, Potassium dichromate, Sulfuric acid, mercury(2+) salt (1:1), which are known to the State of California to cause cancer or birth defects or reproductive harm. For more information, go to <http://www.P65Warnings.ca.gov>

IMERC: Contains Mercury Dispose of in accordance with local, state and federal regulations or laws.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	X	X	X
Sulfuric acid, disilver(1+) salt 10294-26-5	X	-	X
Potassium dichromate 7778-50-9	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095

Canada - CEPA - Mercury Containing Products

Chemical name	Canada - CEPA - Mercury Containing Products
Sulfuric acid, mercury(2+) salt (1:1) CAS#: 7783-35-9	Applies

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

This product contains mercury and may be subject to reporting and recordkeeping requirements

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	Prohibited Substance (LR) Declarable Substance (LR)	0.0 % 0.1 %
Potassium dichromate 7778-50-9	Prohibited Substance (LR) Declarable Substance (LR)	0.0 % 0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 3	Flammability - 0	Physical Hazards - 0	Personal protection - X

Product Code(s) TNT820
Issue Date 21-Apr-2016
Version 4.1

Product Name COD, TNTPlus™ ULR (1-60 mg/L)
Revision Date 17-Aug-2018
Page 18 / 18

				- See section 8 for more information
--	--	--	--	--------------------------------------

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH	<i>Immediately Dangerous to Life or Health</i>
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	<i>no data</i>

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 21-Apr-2016

Revision Date 17-Aug-2018

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2018

End of Safety Data Sheet